An Important Update from the Infection Prevention Team

COVID-19 Personal Protective Equipment Guidelines as of 5/24/21

Use this evidence-based framework to do what BAYADA clinicians do best: apply clinical judgment—collaborating with your operational and clinical teams—to problem-solve and continue to put the needs of our clients first. Our clinicians are empowered to apply these guidelines to your unique client situations, settings, and client/caregiver scenarios.

Hand and Respiratory Hygiene/Cough Etiquette	 Cover your cough (using your elbow is a good technique) Avoid people who are sick Clean your hands often using soap and water or an alcohol-based hand sanitizer Keep your hands away from your face 	
Standard Precautions	Use Standard Precautions, for care of all clients to protect both you and the client. Key practices include performing hand hygiene using alcohol-based waterless hand gel or soap and water; wearing gloves when in contact with blood, body fluids, secretions, excretions, broken skin, and mucous membranes, or any contaminated items with those substances; wearing other personal protective equipment (PPE) such as, gowns, aprons, masks, and goggles to protect skin, eyes, and clothing during procedures that generate splashes or sprays of blood or body fluids.	
Droplet Precautions	These precautions are used when larger droplets are released into the air and land on surfaces and items that consequently become contaminated. Droplet precautions are used with clients sick with influenza, respiratory syncytial virus (RSV), adenovirus, pertussis, mumps, rubella, and other upper respiratory infections where secretions are not contained. Droplet precautions include wearing a surgical mask within three feet of the client; wearing gloves when in contact with any secretions or items contaminated with secretions; and adhering to excellent hand hygiene practices .	
Airborne Precautions	You use Airborne Precautions when tiny droplets are released into the air and stay suspended in the air for a long time, making it easy for another person to inhale them. These precautions are used with clients with tuberculosis, measles, chickenpox, smallpox, and severe acute respiratory syndrome (SARS), and at this time, positive COVID-19 clients. These precautions include wearing a surgical N95 respirator, gloves, gowns, goggles, and other PPE as needed/required for specific	

infectious organisms when caring for positive COVID-19 clients.

Masks and Related PPE, based on client presentation

For all clients who are not infected or have resolved COVID-19	Use surgical mask*, eye protection (goggles or face shield)**+
For clients with known exposure to COVID-19 and	Use surgical mask*, eye protection (goggles or face shield)**,
are awaiting test results with no symptoms	and contact protection (gown and gloves)
Clients with symptoms or COVID-19 positive or awaiting test results with symptoms	Use N95 mask, eye protection (goggles or face shield)** and contact protection (gown and gloves)
When providing care in the home where a household member with <i>no symptoms</i> has a COVID-19 exposure or is awaiting test results	Use surgical mask*, eye protection (goggles or face shield)**
When providing care in the home where a household member is COVID-19 positive or <i>has symptoms</i> and is awaiting test results	Use surgical mask*, eye protection (goggles or face shield)**, and contact protection (gown and gloves)

⁺The Behavioral Health Practice is not required to wear eye protection.

*McKesson Intco #FM301; Yanna Baby #KWL-KD-KZ2005; or Jointown Surgical #2082

**Unless otherwise indicated, eye protection is reusable after cleaning and disinfecting; all other PPE is disposable. NOTE: Based on supply/demand and evidence about this virus, this chart may be modified.

We are in the process of requiring N95 respirators for all aerosol-generating procedures (AGPs) in every client setting.

Congregate Living (CL) Settings: When providing care in a CL setting, use your clinical judgment along with the above framework to think through the best use of PPE based on the client's specific scenario, unique setting (physical layout of community/campus), state or facility guidelines (isolation protocols or community-specific PPE requirements), and the degree of transparency in the facility relationship (ie, how confident are you that the community is sharing when a resident or caregiver has been exposed).

Client Screening Measures: Use your assessment questions to guide your understanding of client risk particularly around international and domestic travel, community exposure, or household in contact with someone who has the disease.